



CERTIFICATE OF ACCREDITATION

The ANSI National Accreditation Board

Hereby attests that

IEH Laboratories and Consulting Group

2124 Reymet Road
North Chesterfield, VA 23237

Fulfills the requirements of

ISO/IEC 17025:2017

In the field of

TESTING

This certificate is valid only when accompanied by a current scope of accreditation document.
The current scope of accreditation can be verified at www.anab.org.

A handwritten signature in black ink, appearing to read 'Jason Stine', is positioned above a horizontal line.

Jason Stine, Vice President

Expiry Date: 22 August 2026

Certificate Number: AT-2073



This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2017.
This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory
quality management system (refer to joint ISO-ILAC-IAF Communiqué dated April 2017).

SCOPE OF ACCREDITATION TO ISO/IEC 17025:2017

IEH Laboratories and Consulting Group

2124 Reymet Road
North Chesterfield, VA 23237

Sarah Gibson 804-482-6751
sarah.gibson@iehinc.com www.iehinc.com

TESTING

Valid to: **August 22, 2026**

Certificate Number: **AT-2073**

Microbiological

| Specific Tests and/or Properties Measured | Specification, Standard, Method, or Test Technique | Items, Materials or Product Tested | Key Equipment or Technology |
|---|--|--|-----------------------------|
| Process Control Index | MB491.01 | Food, Raw ground beef, raw beef trim, raw poultry, RTE turkey, mixed leafy greens, nuts, green onions, fruits, swabs, water | PCR System |
| <i>E. coli</i> O157; EHEC; STEC | MB217.01 AOAC RI PTM 100701 | Food, raw ground beef, raw beef trim, raw poultry, RTE turkey (not for STEC), mixed leafy greens, nuts, green onions, fruits, swabs, water | PCR System |
| <i>Salmonella</i> sp. | MB217.01 AOAC RI PTM 100701 | Food, raw ground beef, raw beef trim, raw poultry, RTE turkey, mixed leafy greens, nuts, green onions, fruits, swabs, water | PCR System |
| <i>Listeria</i> sp. and <i>L. monocytogenes</i> | MB316.01 AOAC RI PTM 021201 | Food, raw ground beef, raw beef trim, raw poultry, RTE turkey, mixed leafy greens, nuts, green onions, fruits, swabs, water | PCR System |
| Total Coliform / <i>E. coli</i> | MB072.01 AOAC 991.14 | Food and Environmental Samples | Petrifilm |
| <i>Staphylococcus aureus</i> | MB443.01 AOAC 2003.07; AOAC 2003.08; AOAC 2003.11 | Food and Environmental Samples | Petrifilm |

Microbiological

| Specific Tests and/or Properties Measured | Specification, Standard, Method, or Test Technique | Items, Materials or Product Tested | Key Equipment or Technology |
|---|---|------------------------------------|---------------------------------|
| Lactic Acid Bacteria | MB231 CMMEF, 4 th Edition | Food and Environmental Samples | Agar Plate |
| Yeast & Mold Count | MB074.01 CMMEF, 4 th Edition | Food and Environmental Samples | Agar Plate |
| Aerobic Plate Count | MB073.01 AOAC 966.23; FDA BAM Ch. 3 | Food and Environmental Samples | Agar Plate |
| Coliform / <i>E. coli</i> Count | MB072.02 FDA BAM Ch. 4; CMMEF 4 th Ed. | Food and Environmental Samples | Agar Plate TCEc |
| Yeast & Mold Count | MB074.03 AOAC – RI PTM 051702 | Food and Environmental Samples | Microfilm YMC |
| Aerobic Plate Count | MB073.06 AOAC – RI PTM 051702 | Food and Environmental Samples | Microfilm APC |
| Total Coliform / <i>E. coli</i> Count | MB072.04 AOAC – RI PTM 051702 | Food and Environmental Samples | Microfilm TCEc |
| Total <i>Enterobacteriaceae</i> | MB219.02 AOAC 2003.01; FDA BAM, 8 th Ed. | Food and Environmental Samples | Petrifilm |
| Aerobic Plate Count | MB073.08 AOAC 990.12 | Food and Environmental Samples | Petrifilm |
| Coliform / <i>E. coli</i> Count | MB211.01 SM 9223 B | Food and Environmental Samples | Colilert TCEc |
| Sample6 Listeria | MB316.04 AOAC-RI 041401 | Environmental Samples | Sample6 Listeria Detect/L Assay |

Note:

1. This scope is formatted as part of a single document including Certificate of Accreditation No. AT-2073.



Jason Stine, Vice President