

CERTIFICATE OF ACCREDITATION

The ANSI National Accreditation Board

Hereby attests that

IEH Laboratories and Consulting Group 183 Bridgepoint Drive South St. Paul, MN 55075

Fulfills the requirements of

ISO/IEC 17025:2017

In the field of

TESTING

This certificate is valid only when accompanied by a current scope of accreditation document. The current scope of accreditation can be verified at <u>www.anab.org</u>.



Jason Stine, Vice President Expiry Date: 25 August 2026 Certificate Number: AT-1476

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2017. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISO-ILAC-IAF Communiqué dated April 2017).



SCOPE OF ACCREDITATION TO ISO/IEC 17025:2017

IEH Laboratories and Consulting Group

183 Bridgepoint Drive South St. Paul, MN 55075

Tara Carter651 455 4891tara.carter@iehinc.comwww.iehinc.com

TESTING

Valid to: August 25, 2026

Certificate Number: AT-1476

Microbiological

Specific Tests and/or Properties Measured	Specificat <mark>ion, St</mark> andard, Method, or Test Technique	Items, Materials or Product Tested	Key Equipment or Technology
E. coli O157; EHEC; STEC	MB <mark>217.01</mark> AOAC RI PTM 100701	Food, raw ground beef, raw beef trim, raw poultry, RTE turkey (omitted or not for STEC), mixed leafy greens, nuts, green onions, fruits, swabs, water	PCR system
Salmonella sp.	MB217.01 AOAC RI PTM 100701	Food, raw ground beef, raw beef trim, raw poultry, RTE turkey, mixed leafy greens, nuts, green onions, fruits, swabs, water	PCR system
Listeria sp. and L. monocytogenes	MB316.01 AOAC RI PTM 021201	Food, raw ground beef, raw beef trim, raw poultry, RTE turkey, mixed leafy greens, nuts, green onions, fruits, swabs, water	PCR system
Process Control Index Testing	MB491.01	Food, raw ground beef, raw beef trim, raw poultry, RTE turkey, mixed leafy greens, nuts, green onions, fruits, swabs, water	PCR system
Aerobic Plate Count	MB073.06 AOAC RI PTM 051703	Food and Environmental Samples	Microfilm
Total Coliform/E. coli	MB072.04 AOAC RI PTM 051702	Food and Environmental Samples	Microfilm
Lactic Acid Bacteria Count	MB231 CMMEF, 4 th Ed.	Food	Pour Plate



www.anab.org



Microbiological

Specific Tests and/or Properties Measured	Specification, Standard, Method, or Test Technique	Items, Materials or Product Tested	Key Equipment or Technology
Yeast and Mold Count	MB074.03 FDA BAM, Ch. 18	Food and Environmental Samples	Microfilm
Enterobacteriaceae	MB219.04 AOAC 2003.01; CMMEF, Ch. 8	Food, raw ground beef, raw beef trim, raw poultry, RTE turkey, mixed leafy greens, nuts, green onions, fruits, swabs, water	Microfilm
Staphylococcus aureus	MB443.01 AOAC 2003.07; AOAC 2003.08; AOAC 2003.11; AOAC 2001.05	Food, raw ground beef, raw beef trim, raw poultry, RTE turkey, mixed leafy greens, nuts, green onions, fruits, swabs, water	Petrifilm
Total Coliform / E. coli	MB072.01 AOAC 991.14; AOAC 998.08	Food, raw ground beef, raw beef trim, raw poultry, RTE turkey, mixed leafy greens, nuts, green onions, fruits, swabs, water	Petrifilm

Note:

1. This scope is formatted as part of a single document including Certificate of Accreditation No. AT-1476.

Jason Stine, Vice President



www.anab.org